


## DSET 4



### Approvals



### General Data

Type	DSET 4
Wire Termination Technology	Spring Clamp
Ratings	-
GTIN / Harmonize Custom Code	85389000
Standard Packing Qty (in No)	100
Country of Origin	India
Screw Size	NA

### Dimensions & Weight

Height (mm)	34
Height (inches)	1.35
Width (mm)	59
Width (inches)	2.32
Thickness (mm)	6
Weight For Standard Packing Qty (Kg)	1.06

## Material Data

Housing	IEC 60947-7-1
Standard Colour	Green-Yellow
Other Color Variants	No more colors available

## Rated Conductor Size

Stranded Wire - min (sq mm)	0.5
Stranded Wire - max (sq mm)	4
Solid Wire - min (sq mm)	0.5
Solid Wire - max (sq mm)	4

## Ratings - IEC

Standard	IEC 60947-7-2
Rated Voltage (V)	-
Rated Current (A)	-
Rated Cross Section (sq mm)	4
Short Time Withstand Current (kA)	0.48
Rated Impulse Withstand Voltage(kV)	-
Pollution Degree	III

## Ratings-CSA

Rated Voltage (V)	-
Rated Current (A)	-
Wire Cross Section - min (AWG)	20
Wire Cross Section - max (AWG)	10

## Accessories

End Plate



**LABEL KN5.5**



**Group Marking Carrier**

**DCKNMLH**

**Height : 45.50 mm**

**Width : 43.50 mm**

**Thickness : 6 mm**



**SCKNMLH**

**Height : 45.50 mm**

**Width : 48 mm**

**Thickness : 8 mm**




**SCUNMLH**

**Height : 53.50 mm**

**Width : 50.60 mm**

**Thickness : 8 mm**



**Mounting Channel (Standard Lengths 300 mm, 500 mm, 1000 mm)**

**CHK**

**Height : 7.5 mm**

**Width : 35 mm**

**Thickness : 1 mm**



